

# GEOSTATS PTY LTD

Mining Industry Consultants  
Reference Material Manufacture and Sales

GPO-18

## Certified Pulp Phosphate Ore Reference Material

# GPO-18

## Certified Control Values

Element	Units	Grade	Standard Deviation	No of Analyses	95% Confidence Interval
P2O5	%	15.09	0.117	50	+/- 0.034
Al2O3	%	7.80	0.070	40	+/- 0.023
CaO	%	19.53	0.199	50	+/- 0.057
Fe2O3	%	1.323	0.0238	50	+/- 0.0068
MgO	%	0.68	0.008	50	+/- 0.003
SiO2	%	50.02	0.267	50	+/- 0.076
U	ppm	16.8	Indicative only		
BaO	%	0.060	0.004	30	+/- 0.0015
K2O	%	1.10	0.012	50	+/- 0.004
MnO	%	0.067	0.0047	50	+/- 0.0014
Na2O	%	0.125	0.0208	50	+/- 0.006
SO3	%	0.169	0.0046	40	+/- 0.0015
TiO2	%	0.32	0.006	50	+/- 0.002
LOI	%	3.09	0.038	50	+/- 0.011

## CRM Details

### Control Statistic Details

Control values for this material were determined during a certification program.

### Certification Date

This material was certified with the above values on:  
20th July 2012

### Source Material

Prior to homogenisation and testing, this material was sourced from:  
Sedimentary Phosphate Deposit, Northern Territory, Australia

### Material Type

Pulp Phosphate Ore, 10g samples.

### Usage

This product is for use in the mining industry as reference materials for monitoring and testing the accuracy of laboratory assaying.

### Preparation and Packaging

This reference material was dried in an oven for a minimum of 8 hours at 110C. The dry material is then crushed in a micron mill and homogenised in a vee-blender. The material is then stored in a sealed, stable container ready for final packaging.

Materials are statistically sampled from stores, then packaged into heat sealed, air tight, plastic packets ready for distribution. All packaging has been chosen to ensure minimal contamination from outside sources during shipment, use and storage.

### Assay Testwork

This standard was tested in a dedicated certification program. 10 x 10g samples were sent to 5 laboratories for XRF analyses. Assay distributions are checked and processed statistically, producing monitoring statistics for these standards. Materials are tested regularly to ensure stability and homogeneity.

10A Marsh Close, O'Connor, Western Australia 6163  
Phone : +61 8 9314 2566, Fax : +61 8 9314 3699  
e-mail : [pjh@geostats.com.au](mailto:pjh@geostats.com.au), [srr@geostats.com.au](mailto:srr@geostats.com.au)  
Website <http://www.geostats.com.au>

Geostats Pty Ltd, Certified Phosphate Ore Reference Material, Product Code: